


Individual Sound Speaker



Individual Stand Speaker SL Stand Speaker Universal Speaker Satellite Speaker Stereospeaker | 40/46 Sound Center Floor Stand | 40-55 Centerspeaker | Compose

Housing							
Colours	High Gloss White	High Gloss White	High Gloss White	High Gloss White	I 40: High Gloss White	Aluminium Silver	High Gloss White
Article number, EAN	69204U00, 4011880114356	66202U00, 4011880112055	68205U00, 4011880111935	66201U00, 4011880112062	69206U00, 4011880115971	67207B00, 4011880094757	66209U00, 4011880112079
	Aluminium Silver	Aluminium Black	Aluminium Black	Aluminium Black	I 40: Aluminium Black	Aluminium Black	Aluminium Black
	69204B00, 4011880114332	66202L10, 4011880111881	68205W00, 4011880109512	66201L00, 4011880085199	69206L00, 4011880115964	67207L00, 4011880094764	66209L00, 4011880090711
		Aluminium Silver	Aluminium Silver	Aluminium Silver	I 40: Aluminium Silver		Aluminium Silver
		66202B10, 4011880111898	68205T00, 4011880104616	66201B00, 4011880085205	69206B00, 4011880115957		66209B00, 4011880090704
					I 46: High Gloss White		
					69207U00, 4011880116008		
					I 46: Aluminium Black		
					69207L00, 4011880115995		
					I 46: Aluminium Silver		
					69207B00, 4011880115988		
Insets							
Colours and materials	Aluminium Silver, High Gloss Black, Chrome Ripped, Chrome Micro, Metallised Chrome, Ebony, Light Oak + individual colour preference on request	Aluminium Silver, High Gloss Black, Chrome Ripped, Chrome Micro, Metallised Chrome, Ebony, Light Oak + individual colour preference on request	Aluminium Silver, High Gloss Black, Chrome Ripped, Chrome Micro, Metallised Chrome, Ebony, Light Oak + individual colour preference on request	Aluminium Silver, High Gloss Black, Chrome Ripped, Chrome Micro, Metallised Chrome, Ebony, Light Oak + individual colour preference on request	Aluminium Silver, High Gloss Black, Chrome Ripped, Chrome Micro, Metallised Chrome, Ebony, Light Oak + individual colour preference on request	Aluminium Silver, High Gloss Black, Chrome Ripped, Chrome Micro, Metallised Chrome, Ebony, Light Oak + individual colour preference on request	Aluminium Silver, High Gloss Black, Chrome Ripped, Chrome Micro, Metallised Chrome, Ebony, Light Oak + individual colour preference on request
General							
Principle	Electrostatic speaker	3-way bass reflex (d'Appolito configuration)	2-way closed (d'Appolito configuration)	1-way closed	2-way CRX® system	3-way, passive	3-way bass reflex (d'Appolito configuration)
Nominal/music power handling (sine/max.)	100 W / 200 W	75 W / 120 W	50 W / 85 W	50 W / 50 W	30 W / 50 W	50 W / 80 W	75 W / 120 W
Recommended amplifier power	50-150 W	—	—	—	—	—	—
Frequency range	160 Hz-30 kHz (-3 dB)	65 Hz-22 kHz (-6 dB)	120 Hz-22 kHz	160 Hz-20 kHz (-6 dB)	90 Hz-22 kHz (-6 dB)	110 Hz-22 kHz (-6 dB)	75 Hz-22 kHz (-6 dB)
Impedance	4-10 ohms	4-8 ohms	8 ohms	8 ohms	4-8 ohms	4-8 ohms	4-8 ohms
Power consumption of power supply unit	1.5 W	—	—	—	—	—	—
Power consumption in stand-by mode	< 0.5 W	—	—	—	—	—	—

Ex works insets for Aluminium Silver and Aluminium Black colour options: Aluminium Silver.
 Ex works insets for High Gloss White colour option: Metallised Chrome.

Individual Sound Speaker

	Individual Stand Speaker SL	Stand Speaker	Universal Speaker	Satellite Speaker	Stereospeaker I 40/46 Sound	Center Floor Stand I 40–55	Centerspeaker I Compose
Features							
Speaker complement	2-way inverse electrostat	2 woofers	2 bass-midrange speakers	2 full-range speakers	1 bass-midrange speaker	1 mid-tone speaker	2 woofers
	—	2 full-range speakers	—	—	1 tweeter	1 woofer	2 full-range speakers
	—	1 tweeter	1 tweeter	—	—	1 tweeter	1 tweeter
	—	—	—	Speaker terminals (max. 1.5 mm)	—	—	—
Speaker connections	Gold-plated terminal screws	Gold-plated terminal screws	Gold-plated terminal screws	—	—	Gold-plated terminal screws	Gold-plated terminal screws
Manual rotation	—	—	—	—	—	●	—
Power supply unit connection	5 mm coaxial jack	—	—	—	—	—	—
Accessories							
Wall Mount	—	—	—	—	—	—	●
Standard inset/ Dimensions (W x D) in cm	—	Aluminium Silver / 8.3 x 8.3	Aluminium Silver / 8.3 x 8.3	Aluminium Silver / 5.5 x 5.5	Aluminium Silver ¹ / 1.9 x 8.8	—	Aluminium Silver ¹ / 8.3 x 8.3
Speaker cable/Loudspeaker grille	2 x 6 m, 1.5 mm ² / —	● / ●	● / ●	● / ●	Speaker system connection (mini cube) ² / —	● / —	● / —
Wall Mount	—	—	—	○ ³	—	—	—
Plug-in power supply (12 V/300 mA)	2 x	—	—	—	—	—	—
Miscellaneous							
Weight (approx.) in kg	10.0	11.5	3.4	0.7	2.0	19.5	6.8
Set-up options							
Dimensions	W 19.5 / H 112.5 D 1.9 / BP Ø 25.8	W 9.0 / H 112.5 D 9.0 / BP Ø 26.0	on S-Stand H 109.5 D 9.0 / BP Ø 25.8 with Ceiling Mount W 9.0 / H 38.8 D 9.0 as shelf solution (ex works) W 9.0 / H 33.1 D 9.0 with Wall Mount W 9.0 / H 33.7 D min. 10.5 / D max. 12.7	on S-Stand H 101.5 D 6.2 / BP Ø 20.1 with Ceiling Mount W 9.0 / H 20.4 D 9.0 as shelf solution (ex works) W 6.2 / H 15.0 D 6.2 with Wall Mount W 6.2 / H 15.0 D 7.2	I 40 Sound W 100.0 / H 9.5 D 7.0 I 46 Sound W 113.3 / H 9.5 D 7.0	Individual 55 W 132.6 / H 129.4 BP Ø 50.0 Individual 46 W 113.3 / H 118.4 BP Ø 50.0 Individual 40 W 100.0 / H 110.9 BP Ø 50.0	with Wall Mount (ex works) W 82.2 / H 9.0 D 10.3 with Table Stand W 82.2 / H 11.0 BP Ø 26.0

Dimensions in cm: W = width, H = height, D = depth, TD = total depth,
 BP = base plate (diameter)

● = included/installed ○ = upgradeable/optional

¹ With High Gloss White housing; Metallised Chrome.

² Can only be connected to Individual TVs.

³ Only included with Satellite Center Speaker I Compose.

LOEWE.

Individual Sound Projector



General	
Principle/Output power	active/120 W
Power consumption in stand-by mode	0.1 W
Features	
Auto set-up/number of selectable sound modes	● /6 (Stereo up to 7.1 channels)
Sound field channels (number of)	11
Speaker complement	2 woofers with 2 x 20 W amplifier 40 beam loudspeaker with 40 x 2 W amplifier Dynamic bass boost
	Decoder for DolbyDigital, DolbyProLogic II, dts, dts Neo 6, PCM, Dolby Digital TruHD, DolbyDigital Plus, Dolby EX, Dts HD Master Audio, Dts HD High Resolution, Dts ES
Sound control (treble/bass)	● / ●
FM radio with RDS	●
Tuning range	87.5 MHz – 108 MHz
Programme memory for FM	40
Channel search/channel storage (automatic)	● / ●
Automatic volume	●
Sleep timer	●

Features	
Connections	
HDMI In/HDMI Out	4 x / ●
Loewe Link system (RJ 12)	●
Digital Audio In (optical/cinch)	2 x / ●
Analogue Audio In (cinch)	2 x
Component Video In (cinch)	●
Subwoofer Out (Audio-Link)	●
FM antenna	●
Composite Video Out (cinch)	●
Composite Video In	●
Component Video In	●
Microphone input	1 x
Accessories	
Wall Mount	●
Standard inset/Dimensions (W x D) in cm	Aluminium Silver ¹ / 1.8 x 21.8
Auto Setup microphone and microphone stand	●
System cable (RS 232)	●
HDMI cable/audio cinch cable (analogue/digital)	● / ●
Antenna cable	●
Cinch-Scart adapter	●
Mains cable	●
Miscellaneous	
Weight (approx.) in kg	10,6

● = included/installed

¹ With High Gloss White housing: Metallised Chrome.

LOEWE.